TECTUM® I Roof Deck Design Guidelines

Design Load Data

System	Thickness***	Wt. (psf)***	Product	24"	30"	36"	38"	40"	42"	44"	48"	50"	52"	54"	60"	66"	72"
Plank Tectum® I	2"	3.5	1	130	75	50	45	40	35								
	2-1/2"	4.5	1	150	120	80	70	60	50	45	35						
	3"	5.3	1	200	125	102	91	82	74	65	50	45	40	35			
Long Span Plank	2"	3.8	1	130	75	75	75	70	64	57	50	45	40	35			
	2-1/2"	4.7	1	150	120	120	120	114	103	93	77	70	65	60	50	35	
	3"	5.5	1	200	125	125	125	125	120	115	110	104	96	88	71	58	50

^{**}All published design loads are based on a minimum safety factor of four. For example, 50 psf design load has an ultimate load of 200 psf.

 $\textbf{Contact Armstrong} @ \textbf{Techline for more information} \\ \textbf{—techline@armstrongceilings.com} \\$

1 877 ARMSTRONG armstrongbuildingsolutions.com/tectum

BPRD-1018-1117

All trademarks used herein are the property of AWI Licensing LLC and/or its affiliates

© 2017 AWI Licensing LLC • Printed in the United States of America



^{***}Thickness and weight are nominal. For loads greater than 200 lbs., contact Armstrong Building Solutions.