# **Armstrong Commercial Tectum I Roof Deck** by Armstrong World Industries

Health Product Declaration v2.1

CLASSIFICATION: 035113

created via: HPDC Online Builder

PRODUCT DESCRIPTION: Tectum I structural acoustical roof deck provides superior durability and sound absorption (up to NRC 0.80) for large low-slope exposed structure spaces.

_
_

# **Section 1: Summary**

# **Basic Method / Product Threshold**

### **CONTENT INVENTORY**

Inventory Reporting Format	Threshold level	Residuals/Impurities	Are All Substances Above the Thresi	hold Indicated:
Nested Materials Method	C 100 ppm	Considered	Characterized	• Yes • No
Basic Method	<b>1</b> ,000 ppm	Partially Considered	Percent Weight and Role Provided?	0 103 0 110
Threshold Disclosed Per  Material  Product	<ul><li>Per GHS SDS</li><li>Per OSHA MSDS</li><li>Other</li></ul>	Not Considered  Explanation(s) provided	Screened Using Priority Hazard Lists with Results Disclosed?	• Yes • No
Product		for Residuals/Impurities?  • Yes • No	Identified Name and Identifier Provided?	C Yes O No

### **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

ARMSTRONG COMMERCIAL TECTUM I ROOF DECK [ AMERICAN ASPEN (AMERICAN ASPEN) NOGS MAGNESIUM OXIDE (MAGNESIUM OXIDE) LT-UNK | CAN SODIUM SILICATE (SODIUM SILICATE) LT-P1 | END MAGNESIUM SULFATE, ANHYDROUS (MAGNESIUM SULFATE, ANHYDROUS) LT-UNK CALCIUM CARBONATE (CALCIUM CARBONATE) BM-3 UREA (UREA) LT-UNK QUARTZ (QUARTZ) LT-1 | CAN TITANIUM DIOXIDE (TITANIUM DIOXIDE) LT-1 | CAN | END SILICA, CHRISTOBALITE (SILICA, CHRISTOBALITE) LT-1 | CAN TALC (TALC) BM-1 | CAN ]

### **INVENTORY AND SCREENING NOTES:**

Residuals/impurities in select raw materials are quantitatively measured, and are displayed in the HPD when greater than 1000ppm.

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

Material content migration: ILFI Declare - Red List Free - Third Party Verified LCA: Environmental Product Declaration (EPD) by UL - Industry Generic

### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?	PREPARER: Self-Prepared VERIFIER:	SCREENING DATE: 2017-10-09 PUBLISHED DATE: 2017-11-09
C Yes No	VERIFICATION #:	EXPIRY DATE: 2020-10-09



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

### ARMSTRONG COMMERCIAL TECTUM I ROOF DECK

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/impurities in select raw materials are quantitatively measured, and are displayed in the HPD when greater than 1000ppm.

OTHER PRODUCT NOTES: None

### **AMERICAN ASPEN (AMERICAN ASPEN)**

**ID: Not registered** 

%: <b>85.0000 - 95.0000</b> GS: <b>N</b>	NoGS	RC: None	nano: <b>No</b>	ROLE: Wood fiber base	
HAZARDS: AGEN	AGENCY(IES) WITH WARNINGS:				
None Found No v	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: Wood fiber from American Aspen trees.

# **MAGNESIUM OXIDE (MAGNESIUM OXIDE)**

ID: 1309-48-4

%: 20.0000 - 25.0000	GS: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	ROLE: Binder
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
CANCER	MAK		cinogen Group 4 - Non-genot ler MAK/BAT levels	oxic carcinogen with low risk

SUBSTANCE NOTES: None

### SODIUM SILICATE (SODIUM SILICATE)

ID: 1344-09-8

%: 15.0000 - 20.0000	GS: LT-P1	RC: None	nano: <b>No</b>	ROLE: Binder
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
ENDOCRINE	TEDX - Potential Endocrine Dis	ruptors	Potential Endocrine Disruptor	

SUBSTANCE NOTES: Sodium Silicate is bound within the substrate. It is not in a form that is noted as a hazard above.

# MAGNESIUM SULFATE, ANHYDROUS (MAGNESIUM SULFATE, ANHYDROUS) %: 5.0000 - 9.0000 GS: LT-UNK RC: None NANO: No ROLE: Board HAZARDS: AGENCY(IES) WITH WARNINGS: None Found No warnings found on HPD Priority lists

# **CALCIUM CARBONATE (CALCIUM CARBONATE)**

SUBSTANCE NOTES: None

ID: **471-34-1** 

%: <b>4.0000 - 8.0000</b>	GS: <b>BM-3</b>	RC: None	nano: <b>No</b>	ROLE: Board and Coating		
HAZARDS:	AGENCY(IES) WITH WARNINGS	:				
None Found	No warnings found on H	No warnings found on HPD Priority lists				
SUBSTANCE NOTES: None						

UREA (UREA) 1D: 57-13-6

%: <b>0.5000 - 5.0000</b>	GS: LT-UNK	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Board</b>	
HAZARDS:	AGENCY(IES) WITH WARNING:	S:			
None Found	No warnings found on I	No warnings found on HPD Priority lists			
SUBSTANCE NOTES: None					

QUARTZ (QUARTZ) ID: 14808-60-7

%: 0.1000 - 1.0000	GS: <b>LT-1</b>	RC: <b>None</b>	nano: <b>No</b>	ROLE: Coating	
HAZARDS:	AGENCY(IES) WITH WA	ARNINGS:			
CANCER	US CDC - Occup	ational Carcinogens	Occupational Carcino	gen	
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		to chemical form or exposure route	
CANCER	IARC	IARC		Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources	
CANCER	US NIH - Report of	US NIH - Report on Carcinogens		Carcinogen (respirable size - occupational	
CANCER	MAK	MAK		Substances that cause cancer in man	
CANCER	New Zealand - Gl	New Zealand - GHS		umed human carcinogens	
CANCER	Australia - GHS	Australia - GHS		ncer	

SUBSTANCE NOTES: Quartz is bound within the coating. It is not in respirable form in the final installed product.

%: 0.1000 - 0.5000	GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	ROLE: <b>Pigment</b>		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
CANCER	US CDC - Occupational Carcino	gens	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	IARC		arcinogenic to humans - inhaled from		
ENDOCRINE	TEDX - Potential Endocrine Disr	TEDX - Potential Endocrine Disruptors		isruptor		
CANCER	MAK		Carcinogen Group 3A sufficient to establish I	- Evidence of carcinogenic effects but not MAK/BAT value		

 $\mbox{\scriptsize SUBSTANCE}$  NOTES: Pigment only in painted white roof deck.

# SILICA, CHRISTOBALITE (SILICA, CHRISTOBALITE)

ID: 14464-46-1

%: 0.1000 - 0.2000	GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	ROLE: Coating	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
CANCER	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CANCER	CA EPA - Prop 65		Carcinogen - specific to chemica	al form or exposure route	
CANCER	IARC		Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	US NIH - Report on Carcinogens	US NIH - Report on Carcinogens		n (respirable size - occupational	
CANCER	MAK	MAK		es that cause cancer in man	
CANCER	New Zealand - GHS	New Zealand - GHS		an carcinogens	
CANCER	Japan - GHS		Carcinogenicity - Category 1A		
CANCER	Australia - GHS	Australia - GHS			

SUBSTANCE NOTES: Silica is bound within the coating and not inhalable, it is excluded from regulatory hazard lists. It is not in a respirable form in the final product.

TALC (TALC) ID: 14807-96-6

%: 0.0100 - 1.0000	gs: <b>BM-1</b>	RC: None	nano: <b>No</b>	ROLE: Coating	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
CANCER	MAK		MAK Carcinogen Group 3B - Evidence of carcinog sufficient for classification		idence of carcinogenic effects but not



# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

01

### **MATERIAL CONTENT MIGRATION**

## ILFI Declare - Red List Free - Third Party Verified

CERTIFYING PARTY: Second Party

APPLICABLE FACILITIES: all

CERTIFICATE URL:

https://armstronbuildingsolutions.com/tectum

CERTIFICATION AND COMPLIANCE NOTES: Red List Free

ISSUE DATE: 2017-04-EXPIRY DATE: 2018-

04-01

CERTIFIER OR LAB: ILFI

# **LCA**

### Environmental Product Declaration (EPD) by UL - Industry Generic

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: all

CERTIFICATE URL:

https://.armstrongbuildingproducts.com/tectum

CERTIFICATION AND COMPLIANCE NOTES: Product Specific

ISSUE DATE: 2017-11-30 11-30

EXPIRY DATE: 2020-

CERTIFIER OR LAB: UL Environment

# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



# Section 5: General Notes

This HPD is provided for the intended recipient in connection with its assessment of products. In providing information, AWI expresses no opinion to its applicability, suitability, or completeness of the declaration form or the standards and criteria utilized or referenced therein. Information provided herein is qualified in the entirety by reference to the product Safety Data Sheet (SDS) which can be located at www.armstronbuildingsolutions.com/tectum. Visit www.armstronbuildingsolutions.com/tectum for more information on this product.



# Section 6: References

### MANUFACTURER INFORMATION

MANUFACTURER: Armstrong World Industries

ADDRESS: 2500 Columbia Avenue

Lancaster PA 17603, USA

WEBSITE: www.armstronbuildingsolutions.com/tectum

CONTACT NAME: Armstrong Technical Services

TITLE: Techline

PHONE: 1-877-276-7876

EMAIL: techline@armstronbuildingsolutions.com

### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

GLO Global warming

PHY Physical Hazard (reactive)

CAN Cancer

MAM Mammalian/systemic/organ toxicity

REP Reproductive toxicity

DEV Developmental toxicityMUL Multiple hazardsRES Respiratory sensitizationEND Endocrine activityNEU NeurotoxicitySKI Skin sensitization/irritation/corrosivity

VE Endocrine activity

NEO Neuroloxicity

SNI SNI Seristization/initiation/corrosivity

EYE Eye irritation/corrosivity

OZO Ozone depletion

LAN Land Toxicity

GEN Gene mutation PBT Persistent Bioaccumulative Toxic NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical) LT-P1 List Translator Possible Benchmark 1

BM-3 Benchmark 3 (use but still opportunity for improvement)
LT-1 List Translator Likely Benchmark 1

**BM-2** Benchmark 2 (use but search for safer substitutes) **LT-UNK** List Translator Benchmark Unknown (insufficient information

BM-1 Benchmark 1 (avoid - chemical of high concern) from List Translator lists to benchmark)

BM-U Benchmark Unspeci ed (insu cient data to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both** Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

**Nested Method** / **Material Threshold** Substances listed within each material per threshold indicated per material **Nested Method** / **Product Threshold** Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per produc

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes

sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.